

For demanding environments.



2510D MW

Standard Series Data Sheet

2510D, 2554W, & 205TMW

Phone: 1300 725 059
Email: sales@netip.com.au
Web Site: www.netip.com.au

QUESTIONS: sales@netip.com.au
SUPPORT: support@netip.com.au

Scitec industry standard 2500 sets are designed to operate in the most demanding work environments. In the office, warehouse or plant, on military bases, and local, state, and federal government properties, Scitec desk and wall telephones are on the job.

HIGHLIGHTS

- Single-Line Telephones
- Compatible with All Major PABX Systems
- RJ11 Data Port (2510D/2510D-e/205TMW)
- Double-Gong Bell Ringer (2510D)
- Electronic Ringer (2510D-e)
- Single-Gong Bell Ringer (2554W)
- Optional Message Waiting Light
- Flash, Redial, and Hold Keys (205TMW)
- Lighted Dial Keys (205TMW)
- Industrial Grade Construction with Matte or Gloss Finish Design
- Non-Slip Base
- HAC-Compatible Handset and ADA-Compliant Volume Control
- Available in Ash or Black
- 5-Year Warranty (2510D/2554)
- 2-Year Warranty (205TMW)
- 1-Year Warranty (2510D-e)



2510D (no MW)

205TMW



2554W



CONFIGURATIONS

Single-Line Desk Set

2510D (no MW)	Part Number 25001 (ash) / Part Number 25002 (black)
2510 MW	Part Number 25011 (ash) / Part Number 25012 (black)
2510D-e (no MW)	Part Number 25101 (ash)
2510D-e MW	Part Number 25111 (ash)

Single-Line Wall Set

2554W (no MW)	Part Number 25401 (ash) / Part Number 25402 (black)
2554W MW	Part Number 25411 (ash) / Part Number 25412 (black)

Single-Line Trimline

205TMW	Part Number 20521 (ash) / Part Number 20515 (white)
--------	---

PRODUCT INFORMATION

Installation Includes

- RJ11 Line Cords 15 ft/4.57 m; 5 in/12.7 cm (205TMW)
- Handset Coil Cord 10 ft/3.05 m
- Optional Wall Mount Bracket (not included)

Line, MW, and Ringer Specification

- Line Voltage—Auto-Detect
- Line Current 20mA-80mA
- 90VDC Neon Message Waiting Indicator
- Ringer Equivalence—0.6B (2510D-e)
- Ringer Equivalence—1.1B (2510D/2554W/205TMW)

Unit Dimensions

- 9.0"(l) x 4.25"(w) x 6.0"(h) (2554W)
- 9.0"(l) x 5.5"(w) x 4.0"(h) (2510D/2510D-e)
- 9.0"(l) x 4.0"(w) x 4.0"(h) (205TMW)

Packaging Weight

- Master Pack Quantities of 12 Units, 31lbs/14.06kg (2554W)
- Master Pack Quantities of 8 Units, 24lbs/10.89kg (2510D)
- Master Pack Quantities of 16 Units, 32lbs/14.51kg (205TMW)

Certifications

- FCC Part 68, FCC Part 15 & UL 1459 Ref.
- ADA/FCC Hearing Aid Compliant



Phone: 1300 725 059
Email: sales@netip.com.au
Web Site: www.netip.com.au

QUESTIONS: sales@netip.com.au
SUPPORT: support@netip.com.au

